

## Contents to volume 263

## Review Hypotheses

- A common mechanism of transcriptional activation by the three positive regulators, VirG, PhoB, and OmpR (FEBS 08260) *T. Aoyama, A. Oka*
- 'Quantal'  $\text{Ca}^{2+}$  release and the control of  $\text{Ca}^{2+}$  entry by inositol phosphates – a possible mechanism (FEBS 08291) *R.F. Irvine*

## Research Letters

- Receptor-active glycolipids of epithelial cells of the small intestine of young and adult pigs in relation to susceptibility to infection with *Escherichia coli* K99 (FEBS 08251) *S. Teneberg, P. Willemsen, F.K. de Graaf, K.-A. Karlsson*
- A small G-protein involved in phosphatidylinositol-4-phosphate kinase activation (FEBS 08278) *T. Urumow, O.H. Wieland*
- Two forms of the rat  $\text{D}_2$  dopamine receptor as revealed by the polymerase chain reaction (FEBS 08284) *D.D. Rao, J. McKelvy, J. Kebabian, R.G. MacKenzie*
- Factor Xa cleavage of fusion proteins: Elimination of non-specific cleavage by reversible acylation (FEBS 08288) *S.J. Wearne*
- Peptidyl-prolyl *cis-trans* isomerase does not affect the Pro-43 *cis-trans* isomerization rate in folded calbindin  $\text{D}_{9k}$  (FEBS 08289) *J. Kördel, T. Drakenberg, S. Forsén, E. Thulin*
- Protein kinase C during differentiation of human promyelocytic leukemia cell line, HL-60 (FEBS 08290) *K. Hashimoto, A. Kishimoto, H. Aihara, I. Yasuda, K. Mikawa, Y. Nishizuka*
- Modulation of interleukin- $1\beta$  production by cyclic AMP in human monocytes (FEBS 08292) *M. Hurme*
- The in vivo and in vitro oxidation of molecular form 1 of biliverdin reductase to molecular form 3 by diamide (FEBS 08295) *M.L. Tomaro, J. Frydman, R.B. Frydman*
- C-terminal amino acid determination of the transmembrane subunits of the human platelet fibrinogen receptor, the GPIIb/IIIa complex (FEBS 08293) *J.J. Calvete, W. Schäfer, A. Henschen, J. Gonzalez-Rodriguez*
- Inhibition of cGMP-dependent protein kinase by (Rp)-guanosine 3',5'-monophosphorothioates (FEBS 08294) *E. Butt, M. van Bemmelen, L. Fischer, U. Walter, B. Jastorff*
- An early immunoreactive folding intermediate of the tryptophan synthase  $\beta_2$  subunit is a 'molten globule' (FEBS 08296) *M.E. Goldberg, G.V. Semisotnov, B. Friguet, K. Kuwajima, O.B. Ptitsyn, S. Sugai*
- ATP synthesis coupled to electron transfer from  $\text{H}_2$  to the heterodisulfide of 2-mercaptoethanesulfonate and 7-mercaptoheptanoylthreonine phosphate in vesicle preparations of the methanogenic bacterium strain Gö1 (FEBS 08309) *S. Peinemann, R. Hedderich, M. Blaut, R.K. Thauer, G. Gottschalk*
- Tetanus toxin-induced protein kinase C activation and elevated serotonin levels in the perinatal rat brain (FEBS 08297) *J. Aguilera, L.A. Lopez, E. Yavin*
- Structural kinetics of the allosteric transition of aspartate transcarbamylase produced by physiological substrates (FEBS 08310) *H. Tsuruta, T. Sano, P. Vachette, P. Tauc, M.F. Moody, K. Wakabayashi, Y. Amemiya, K. Kimura, H. Kihara*
- Transcription and replication silencer element is present within conserved region of human Alu repeats interacting with nuclear protein (FEBS 08311) *N.V. Tomilin, S.M.M. Iguchi-Ariga, H. Ariga*
- Reversible inhibition of electron transfer in the ubiquinol: Cytochrome *c* reductase segment of the mitochondrial respiratory chain in hibernating ground squirrels (FEBS 08312) *N.N. Brustovetsky, Z.G. Amerkhanov, E. Yu. Popova, A.A. Konstantinov*
- Purification and study of a bacterial glutathione S-transferase (FEBS 08277) *P. Arca, P. Garcia, C. Hardisson, J.E. Suárez*
- Solubilization of the bombesin receptor from Swiss 3T3 cell membranes: Functional association to a guanine nucleotide regulatory protein (FEBS 08298) *A. Coffey, I. Fabregat, J. Sinnett-Smith, E. Rozengurt*
- The primary structure of rat ribosomal protein S16 (FEBS 08299) *Y.-L. Chan, V. Paz, J. Olvera, I.G. Wool*
- Stereochemical course of hydrolysis and hydration reactions catalysed by cellobiohydrolases I and II from *Trichoderma reesei* (FEBS 08300) *M. Claeysens, P. Tomme, C.F. Brewer, E.J. Hehre*
- Isolation and RNA sequence analysis of cytochrome *b* mutants resistant to funiculosin, a center i inhibitor of the mitochondrial ubiquinol-cytochrome *c* reductase in *Saccharomyces cerevisiae* (FEBS 08307) *J. -P. di Rago, J. Perea, A. -M. Colson*
- Regulation of photosynthetic light harvesting by nitrogen assimilation in the green alga *Selenastrum minutum* (FEBS 08308) *D.H. Turpin, D. Bruce*
- Erbstatin blocks platelet activating factor-induced protein-tyrosine phosphorylation, polyphosphoinositide hydrolysis, protein kinase C activation, serotonin secretion and aggregation of rabbit platelets (FEBS 08318) *H. Salari, V. Duronio, S.L. Howard, M. Demos, K. Jones, A. Reany, A.T. Hudson, S.L. Pelech*
- Interleukin  $1\beta$  modulates hepatic synthesis of  $\alpha 1$ -acid glycoprotein in the fetal rat (FEBS 08301) *D. Durand, O. Bertaux, T. Fournier, D. Porquet, R. Valencia, G. Durand*
- DNA methylation in *Trypanosoma cruzi* (FEBS 08303) *M.V. Rojas, N. Galanti*
- Protein kinase C-regulated production of prostacyclin by rat endothelium is increased in the presence of lipoxin A4 (FEBS 08304) *D. Leszczynski, J. Ustinov*
- Expression of voltage-gated  $\text{K}^+$  channels in insulin-producing cells: Analysis by polymerase chain reaction (FEBS 08305) *C. Betsholtz, A. Baumann, S. Kenna, F.M. Ashcroft, S.J.H. Ashcroft, P.-O. Berggren, A. Grupe, O. Pongs, P. Rorsman, J. Sandblom, M. Welsh*
- Assignment of imidazole resonances from two-dimensional proton NMR spectra of bovine Cu,Zn superoxide dismutase: Evidence for similar active site conformation in the oxidized and reduced enzyme (FEBS 08317) *M. Paci, A. Desideri, M. Sette, M.R. Ciriolo, G. Rotilio*
- Identification of genetically high risk individuals to lung cancer by DNA polymorphisms of the cytochrome P4501A1 gene (FEBS 08306) *K. Kawajiri, K. Nakachi, K. Imai, A. Yoshii, N. Shinoda, J. Watanabe*
- The importance of Val-157 hydrophobic interaction for papain inhibitory activity of an epoxysuccinyl amino acid derivative: A structure-activity relationship based on the crystal structure of the papain-E-64-c complex (FEBS 08210) *D. Yamamoto, K. Matsumoto, H. Ohishi, T. Ishida, M. Inoue, K. Kitamura, K. Hanada*

Effect of heparin on proliferation and signalling in BC3H-1 muscle cells: Evidence for specific binding sites (FEBS 08313) <i>S. Vannucchi, F. Pasquali, G. Fiorelli, P. Bianchini, M. Ruggiero</i>	137	A rev/ $\beta$ -galactosidase fusion protein binds in vitro transcripts spanning the rev-responsive element of human immunodeficiency virus type 1 (HIV-1) (FEBS 08331) <i>C. Aepinus, R. Voll, M. Bröker, B. Fleckenstein</i>	217
Externally added DNA molecules support initiation of transcription in isolated nuclei from petunia (FEBS 08315) <i>D. Zenvirth, D. Ginzberg, M. HersHKovitz, A. Loyter</i>	142	Inhibition of poly(ADP-ribose) synthetase by unsaturated fatty acids, vitamins and vitamin-like substances (FEBS 08333) <i>M. Banasik, H. Komura, K. Ueda</i>	222
Induction of normal ultrastructure by CGRP treatment in dystrophic myotubes (FEBS 08316) <i>L. Garcia, M. Pinçon-Raymond, G. Romey, J.-P. Changeux, M. Lazdunski, F. Rieger</i>	147	Interaction of histones H1 and H1 <sup>°</sup> with superhelical and linear DNA (FEBS 08332) <i>J. Yaneva, J. Zlatanova, E. Paneva, L. Srebrev, R. Tsanev</i>	225
Autolysis of isolated adipocytes by endogenously produced fatty acids (FEBS 08319) <i>P. Strålfors</i>	153	Specific binding of placental acidic isoform of ferritin to cells of the T-cell line HD-MAR (FEBS 08334) <i>A.M. Konijn, E.G. Meyron-Holtz, R. Levy, H. Ben-Bassat, Y. Matzner</i>	229
A novel method for measuring membrane conductance changes by a voltage-sensitive optical probe (FEBS 08137) <i>Y. Rosemberg, R. Korenstein</i>	155	<i>Bryophyllum fedtschenkoi</i> protein phosphatase type 2A can dephosphorylate phosphoenolpyruvate carboxylase (FEBS 08335) <i>P.J. Carter, H.G. Nimmo, C.A. Fewson, M.B. Wilkins</i>	233
The interaction of actin with dystrophin (FEBS 08320) <i>B.A. Levine, A.J.G. Moir, V.B. Patchell, S.V. Perry</i>	159	Identification of the binding sites of benzyl penicilloyl, the allergenic metabolite of penicillin, on the serum albumin molecule (FEBS 08337) <i>M. Yvon, P. Anglade, J.-M. Wal</i>	237
Regional expression of a MCD-peptide and dendrotoxin I-sensitive voltage-dependent potassium channel in rat brain (FEBS 08322) <i>J.-M. Séquier, J. Brenmand, J. Barhanin, M. Lazdunski</i>	163	Alteration of the enzymatic properties of smooth muscle myosin by a monoclonal antibody against subfragment 2 (FEBS 08340) <i>M. Higashihara, M. Ikebe</i>	241
The interaction of amiloride with acetylcholinesterase and butyrylcholinesterase (FEBS 08323) <i>L. Zemach, D. Segal, Y. Shalitin</i>	166	The cytochrome <i>b</i> of the sea urchin <i>Paracentrotus lividus</i> is naturally resistant to myxothiazol and mucidin (FEBS 08339) <i>M.D. Esposti, A. Ghelli, G. Butler, M. Roberti, A. Mustich, P. Cantatore</i>	245
Substrate-dependent inhibition of protein kinase C by specific inhibitors (FEBS 08324) <i>M. Junco, M.J.M. Diaz-Guerra, L. Bosca</i>	169	Inhibition of photosystem II in <i>Chlorogloeopsis fritschii</i> with shikonin acetate (FEBS 08342) <i>A.-K.J. Sallal, N.A. Nimer, G. Al-Oriquat</i>	248
Benzo(a)pyrene induces nuclear-DNA adducts in plant cell suspension culture: Detection by [ <sup>32</sup> P] postlabelling (FEBS 08325) <i>B. Rether, A. Pfohl-Leszkowicz, P. Guillemaut, G. Keith</i>	172	The purification and amino acid sequence of the lethal neurotoxin Tx1 from the venom of the Brazilian 'armed' spider <i>Phonetrutia nigriventer</i> (FEBS 08343) <i>C.R. Diniz, M. do Nascimento Cordeiro, L.R. Junor, P. Kelly, S. Fischer, F. Reimann, E.B. Oliveira, M. Richardson</i>	251
Inactivation of Ca <sup>2+</sup> -, Na <sup>+</sup> K <sup>+</sup> -, and H <sup>+</sup> K <sup>+</sup> -ATPases with a carbodiimide derivative of ATP (FEBS 08326) <i>A.J. Murphy</i>	175	Chromosomal reallocation of the chicken <i>c-myc</i> locus and organization of 3'-proximal coding exons (FEBS 08345) <i>J. Soret, M. Vellard, E. Viegas-Pequignot, F. Apiou, B. Dutrillaux, B. Perbal</i>	254
Book Reviews	178	Specific receptors for endothelin-3 in cultured bovine endothelial cells and its cellular mechanism of action (FEBS 08344) <i>T. Emori, Y. Hirata, F. Marumo</i>	261
Erratum	187	Sequence homology between purple acid phosphatases and phosphoprotein phosphatases: Are phosphoprotein phosphatases metalloproteins containing oxide-bridged dinuclear metal centers? (FEBS 08346) <i>J.B. Vincent, B.A. Averill</i>	265
Notes to Authors	188	The quantum yield of bacteriorhodopsin (FEBS 08347) <i>J. Tittor, D. Oesterhelt</i>	269

## Discussion Letter

Origin of human neuroblastoma cell lines TGW and TNB1 (FEBS 08336) <i>Y. Tsuchida, M. Sekiguchi, Y. Kaneko, N. Kanda</i>	191
--	-----

## Research Letters

The antioxidant action of tamoxifen and its metabolites: Inhibition of lipid peroxidation (FEBS 08321) <i>H. Wiseman, M.J. Laughton, H.R.V. Arnstein, M. Cannon, B. Halliwell</i>	192	Polypeptide composition of higher plant photosystem I complex: Identification of <i>psaI</i> , <i>psaJ</i> and <i>psaK</i> gene products (FEBS 08348) <i>M. Ikeuchi, A. Hirano, T. Hiyama, Y. Inoue</i>	274
Interaction of small G proteins with photoexcited rhodopsin (FEBS 08314) <i>T. Wieland, I. Ulibarri, K. Aktories, P. Gierschik, K.H. Jakobs</i>	195	The importance of the C-terminal amide structure of rat pancreastatin to inhibit pancreatic exocrine secretion (FEBS 08349) <i>K. Miyasaka, A. Funakoshi, K. Kitani, H. Tamamura, N. Fujii, S. Funakoshi</i>	279
Irreversible transitions in a model substrate cycle: An experimental illustration (FEBS 08327) <i>A. Cimino, J.-F. Hervagault</i>	199	Osmium tetroxide, <i>N,N,N',N'</i> -tetramethylethylenediamine: A new probe of DNA structure in the cell (FEBS 08357) <i>P. Boubliková, E. Paleček</i>	281
Cytoplasmic Ca <sup>2+</sup> oscillations evoked by acetylcholine or intracellular infusion of inositol trisphosphate or Ca <sup>2+</sup> can be inhibited by internal Ca <sup>2+</sup> (FEBS 08329) <i>M. Wakui, O.H. Petersen</i>	206	Secretion and intracellular degradation of collagen in cultures of normal and SV-40-transformed human fibroblasts (FEBS 08302) <i>A.E. Berman, G.E. Morozevich</i>	285
$\beta$ -Turns as structural motifs for the proteolytic processing of seed proteins (FEBS 08328) <i>R.I. Monsalve, L. Menéndez-Arias, C. López-Otin, R. Rodríguez</i>	209	Biosynthesis of acridone alkaloids: Formation of rutacridone by cell-free extracts of <i>Ruta graveolens</i> cell suspension cultures (FEBS 08338) <i>W. Maier, B. Schumann, D. Gröger</i>	289
Demonstration of two isoforms of subunit VIIa of cytochrome <i>c</i> oxidase from human skeletal muscle: Implications for mitochondrial myopathies (FEBS 08330) <i>J.J. Van Beeumen, A.B.P. Van Kuilenburg, S. Van Bun, C. Van den Bogert, J.M. Tager, A.O. Muijsers</i>	213	Intra- and extraluminal sarcoplasmic reticulum membrane regulatory sites for Ca <sup>2+</sup> -induced Ca <sup>2+</sup> release (FEBS 08351) <i>T.E. Nelson, K.E. Nelson</i>	292
		Immunological characterization of the mitochondrial 2-oxoglutarate carrier from liver and heart: Organ specificity (FEBS 08341) <i>V. Zara, R.D. Benedittis, C.I. Ragan, F. Palmieri</i>	295

Molecular cloning of a cDNA encoding aldosterone synthase cytochrome P-450 in rat adrenal cortex (FEBS 08352) <i>M. Imai, H. Shimada, Y. Okada, Y. Matsushima-Hibiya, T. Ogishima, Y. Ishimura</i>	299	Mechanisms of differential regulation of interleukin-6 mRNA accumulation by tumor necrosis factor alpha and lymphotoxin during monocytic differentiation (FEBS 08367) <i>M.A. Brach, N.A. Cicco, D. Riedel, T. Hirano, T. Kishimoto, R.H. Mertelsmann, F. Herrmann</i>	349
Cobalamin inactivation induces formyltetrahydrofolate synthetase (FEBS 08353) <i>R. Deacon, J. Perry, M. Lumb, I. Chanarin</i>	303	Inactivation of human plasma $\alpha_1$ -proteinase inhibitor by human PMN leucocyte collagenase (FEBS 08369) <i>V. Knäuper, H. Reinke, H. Tschesche</i>	355
A novel NADPH/NADH-dependent aldehyde reduction enzyme isolated from the tapeworm <i>Moniezia expansa</i> (FEBS 08354) <i>P.M. Brophy, P. Crowley, J. Barrett</i>	305	Eclosion hormone of the silkworm <i>Bombyx mori</i> : Expression in <i>Escherichia coli</i> and location of disulfide bonds (FEBS 08373) <i>T. Kono, H. Nagasawa, H. Kataoka, A. Isogai, H. Fugo, A. Suzuki</i>	358
Oriented incorporation of bacteriorhodopsin into the lipid shell of phospholipid-coated polymer particles (FEBS 08356) <i>U. Rothe, H. Aurich, H. Engelhardt, D. Oesterheld</i>	308	Conformational changes of aminoacyl-tRNA and uncharged tRNA upon complex formation with polypeptide chain elongation factor Tu (FEBS 08370) <i>M. Haruki, R. Matsumoto, M. Hara-Yokoyama, T. Miyazawa, S. Yokoyama</i>	361
Application of $^{13}\text{C}(\omega_1)$ -half-filtered $^1\text{H}, ^1\text{H}$ -NOESY for studies of a complex formed between DNA and a $^{13}\text{C}$ -labeled minor-groove-binding drug (FEBS 08355) <i>W. Leupin, G. Otting, H. Amacker, K. Wüthrich</i>	313	Tris reversibly inhibits secretion of albumin and $\alpha$ -1-antitrypsin at different sites (FEBS 08372) <i>P. Quinn, J.D. Judah</i>	365
High affinity ryanodine binding sites in rat liver endoplasmic reticulum (FEBS 08359) <i>V. Shoshan-Barmatz</i>	317	Characterization of four $G_0$ -type proteins purified from bovine brain membranes (FEBS 08374) <i>A. Inanobe, H. Shibasaki, K. Takahashi, I. Kobayashi, U. Tomita, M. Ui, T. Katada</i>	369
Interleukin-1 $\beta$ induces synthesis and secretion of interleukin-6 in human chondrocytes (FEBS 08360) <i>S. Bender, H.-D. Haubeck, E.V. de Leur, G. Dufhues, X. Schiel, J. Lauwerijns, H. Greiling, P.C. Heinrich</i>	321	The $\text{NH}_2$ -terminal residues of rat liver proteasome (multicatalytic proteinase complex) subunits, C2, C3 and C8, are $N\alpha$ -acetylated (FEBS 08375) <i>F. Tokunaga, R. Aruga, S. Iwanaga, K. Tanaka, A. Ichihara, T. Takao, Y. Shimonishi</i>	373
Structural studies on three flavin-interacting regions of the flavoprotein subunit of complex II in <i>Ascaris suum</i> mitochondria (FEBS 08361) <i>R. Furushima, K. Kita, S. Takamiya, K. Konishi, T. Aoki, H. Oya</i>	325	Botulinum ADP-ribosyltransferase activity as affected by detergents and phospholipids (FEBS 08376) <i>T. Maehama, Y. Ohoka, T. Ohtsuka, K. Takahashi, K.-i. Nagata, Y. Nozawa, K. Ueno, M. Ui, T. Katada</i>	376
Formation of a cytosolic ganglioside-protein complex following administration of photoreactive ganglioside GM1 to human fibroblasts in culture (FEBS 08362) <i>V. Chigorno, M. Valsecchi, D. Acquotti, S. Sonnino, G. Tettamanti</i>	329	Diverse actions of cadmium on the smooth muscle myosin phosphorylation system (FEBS 08378) <i>A. Kostrzewska, A. Sobieszek</i>	381
Rats with physically disconnected hypothalamo-pituitary tracts no longer contain vasopressin-oxytocin gene transcripts in the posterior pituitary lobe (FEBS 08363) <i>E. Mohr, A. Zhou, N.A. Thorn, D. Richter</i>	332	Characterization of rat brain NCAM mRNA using DNA oligonucleotide probes (FEBS 08379) <i>A.-M. Andersson, H. Gaardsvoll, E. Giladi, B. Dahl, E. Bock</i>	385
A high ratio of chromogranin A to synaptin/synaptophysin is a common feature of brains in Alzheimer and Pick disease (FEBS 08364) <i>R. Weiler, H. Lassmann, P. Fischer, K. Jellinger, H. Winkler</i>	337	Identification of a highly reactive sulphhydryl group in human placental glutathione transferase by a site-directed fluorescent reagent (FEBS 08377) <i>M. Lo Bello, R. Petruzzelli, E. De Stefano, C. Tenedini, D. Barra, G. Federici</i>	389
Central helix role in the contraction-relaxation switching mechanisms of permeabilized skeletal and smooth muscles with genetic manipulation of calmodulin (FEBS 08365) <i>J. Gulati, A. Persechini, A. Babu</i>	340	Author Index	392
Secretion of apolipoprotein B in serum-free cultures of human hepatoma cell line, HepG2 (FEBS 08366) <i>K. Adeli, C. Sinkevitch</i>	345	Contents	398
		Notes to Authors	401